

## Isopropanol Alcohol

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 and SI 2020/1577

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Product Name	Esprit E=Spray
CAS No.	67-63-0
EC No.	200-661-7
Registration number(s)	Not known.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)	Not known.
Uses Advised Against	Not known.

#### 1.3 Details of the supplier of the safety data sheet

Supplier	
Company Identification	Esprit Windscreen Repair Equipment Ltd
Address of Supplier	Unit 44 Winpenny Road, Parkhouse Industrial Estate East, Newcastle Under Lyme Staffordshire United Kingdom
Postal code	ST5 7RH
Telephone:	01782656811
E-mail	sales@espritws.com
Office hours	9am – 5pm UK

#### 1.4 Emergency telephone number

Emergency Phone No.	Please contact your local medical facility/hospital or poison centre
---------------------	--

**SECTION 2: HAZARDS IDENTIFICATION**

**Isopropanol Alcohol**

**2.1 Classification of the substance or mixture**

GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567  
Flam. Liq. 2 :Highly flammable liquid and vapour.  
Eye Irrit. 2 :Causes serious eye irritation.

STOT SE 3 :May cause drowsiness or dizziness.

**2.2 Label elements**

According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567

Product Name Isopropanol Alcohol

Hazard Pictogram(s)



GHS02



GHS07

Signal Word(s) Danger

Hazard Statement(s)  
H225: Highly flammable liquid and vapour.  
H319: Causes serious eye irritation.  
H336: May cause drowsiness or dizziness.

Precautionary Statement(s)  
P261: Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312: Call a POISON CENTER/doctor if you feel unwell.  
P337+P313: If eye irritation persists: Get medical advice/attention.  
P403+P233: Store in a well-ventilated place. Keep container tightly closed.

**2.3 Other hazards**

**2.4 Additional Information**

None known.

For full text of H/P Statements see section 16.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**Isopropanol Alcohol**

**3.1 Substances**

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / Registration number(s)	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
propan-2-ol isopropyl alcohol isopropanol	67-63-0	200-661-7	100.00	Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336	GHS02 GHS07

**3.2 Mixtures**

Not applicable.

**SECTION 4: FIRST AID MEASURES**

**4.1 Description of first aid measures**

Inhalation	Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
Skin Contact	Take off immediately all contaminated clothing. Rinse skin with water.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Treat symptomatically.

**4.2 Most important symptoms and effects, both acute and delayed**

May cause irritation.

**4.3 Indication of any immediate medical attention and special treatment needed**

Call a POISON CENTER/doctor if you feel unwell. Treat symptomatically.

**SECTION 5: FIREFIGHTING MEASURES**

**5.1 Extinguishing media**

Suitable Extinguishing media	Use water spray, dry powder or carbon dioxide to extinguish.
Unsuitable extinguishing media	Water jet spray

**5.2 Special hazards arising from the substance or mixture**

Highly flammable liquid and vapour. May decompose in a fire, giving off toxic and irritant vapours.

**5.3 Advice for firefighters**

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Ensure full personal protection (including respiratory protection) during removal of spillages.

### 6.2 Environmental precautions

Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

### 6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Containers must not be punctured or destroyed by burning, even when empty.

### 6.4 Reference to other sections

See Also Section 8, 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Wash hands and exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Use explosion-proof electrical/ventilating/lighting/equipment. Use non-sparking tools. Take action to prevent static discharges.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Keep cool.

Storage temperature

Ambient.

Storage life

Stable under normal conditions.

Incompatible materials

None known.

### 7.3 Specific end use(s)

Not known.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### 8.1.1 Occupational Exposure Limits

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Propan-2-ol	67-63-0	400	999	500	1250	

Region	Source
United Kingdom	UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)
Remark	Notes

**8.2 Exposure controls**

8.2.1. Appropriate engineering controls Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Ensure adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.

8.2.2. Personal protection equipment



Eye Protection

Wear eye protection with side protection (EN166).



Skin protection

Wear protective clothing and gloves: Impervious gloves (EN 374).



Respiratory protection

Normally no personal respiratory protection is necessary.



Thermal hazards

None known.

8.2.3. Environmental Exposure Controls Avoid release to the environment.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

Appearance	Liquid.
	Colour : Clear liquid
Odour	Clear liquid with perceptible odour.
Odour threshold	Not known.
pH	Not known.
Melting point/freezing point	Not known.
Initial boiling point and boiling range	Not known.
Flash Point	Not known.
Evaporation rate	Not known.
Flammability (solid, gas)	Not known.
Upper/lower flammability or explosive limits	Not known.
Vapour pressure	Not known.
Vapour density	Not known.
Density (g/ml)	Not known.
Relative density	Not known.
Solubility(ies)	Solubility (Water) : Not known.
	Solubility (Other) : Not known.
Partition coefficient: n-octanol/water	Not known.

Auto-ignition temperature	Not known.
Decomposition Temperature (°C)	Not known.
Viscosity	Not known.
Explosive properties	Not known.
Oxidising properties	Not known.

**9.2 Other information**

None.

**SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity**

None anticipated.

**10.2 Chemical Stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

No hazardous reactions known if used for its intended purpose.

**10.4 Conditions to avoid**

Avoid friction, sparks, or other means of ignition.

**10.5 Incompatible materials**

Not known.

**10.6 Hazardous decomposition products**

No hazardous decomposition products known.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

Acute toxicity - Ingestion	Not classified.
Acute toxicity - Skin Contact	Not classified.
Acute toxicity - Inhalation	Not classified.
Skin corrosion/irritation	Not classified.
Serious eye damage/irritation	Causes serious eye irritation.
Skin sensitization data	Not classified.
Respiratory sensitization data	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
Reproductive toxicity	Not classified.
Lactation	Not classified.
STOT - single exposure	May cause drowsiness or dizziness.
STOT - repeated exposure	Not classified.
Aspiration hazard	Not classified.

**11.2 Other information** Not known.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity - Aquatic invertebrates	Low toxicity to invertebrates.
Toxicity - Fish	Low toxicity to fish.
Toxicity - Algae	Low toxicity to algae.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.

### 12.2 Persistence and degradability

Not known.

### 12.3 Bioaccumulative potential

Not known.

### 12.4 Mobility in soil

Not known.

### 12.5 Results of PBT and vPvB assessment

Not known.

### 12.6 Other adverse effects

Not known.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

### 13.2 Additional Information

Dispose of contents in accordance with local, state or national legislation.  
Recycle only completely emptied packaging.

Containers must not be punctured or destroyed by burning, even when empty. Do not allow to enter drains, sewers or watercourses. Do NOT landfill. Normal disposal is via incineration operated by an accredited disposal contractor. Send to a licensed recycler, reclaimer or incinerator. Dispose at suitable refuse site.

Disposal should be in accordance with local, state or national legislation.

#### SECTION 14: TRANSPORT INFORMATION

##### 14.1 UN number

UN No. 1219

##### 14.2 UN proper shipping name

UN proper shipping name ISOPROPANOL (ISOPROPYL ALCOHOL)



### 14.3 Transport hazard class(es)

#### ADR/RID

ADR/RID Class	3
ADR Classification Code	F1
Special Provisions	601
Limited Quantities	1 L
Excepted Quantities	E2
Emergency Action Code	•2YE
Mixed Packing Instructions for Packages	P001 IBC02 R001
Special Packing Provisions for Packages	
Mixed Packing Instructions for Packages	MP19
Packing Instructions for Portable Tanks	T4
Special Provisions for Portable Tanks	TP1
Tank Code for Tanks	LGBF
Special Provisions for Tanks	
Vehicle for Tank Carriage	FL
ADR Transport Category	2
Tunnel Restriction Code	D/E
Special Provisions for Carriage - Packages	
Special Provisions for Carriage - Bulk	
Special Provisions for Carriage - Loading, Unloading and Handling	
Special Provisions for Carriage - Operation	S2 S20
ADR HIN	33
IMDG	
IMDG Class	3
Special Provisions	601
Limited Quantities	1 L
Excepted Quantities	E2
Mixed Packing Instructions for Packages	P001 IBC02 R001
Special Packing Provisions for Packages	
Packing Instructions for Portable Tanks	T4
Special Provisions for Portable Tanks	TP1
IMDG EMS	F-E, S-D
Stowage and Handling	Category B
Segregation	
Marine Pollutant	
ICAO/IATA	
IATA Proper Shipping Name	ISOPROPANOL (ISOPROPYL ALCOHOL)
Excepted Quantities	E2

Passenger and Cargo Aircraft Limited	Y341
Quantities Packing Instructions	
Passenger and Cargo Aircraft Limited	1L
Quantities Max net Qty	
Passenger and Cargo Aircraft Packing	353
Instructions	
Passenger and Cargo Aircraft Max net	5L
Qty	
Cargo Aircraft Packing Instructions	364
Cargo Aircraft Max net Qty	60L
Special Provisions	A180
Emergency Response Guidebook (ERG)	3L
Code	
Labels	
Labels	3



#### 14.4 Packing group

Packing group II

#### 14.5 Environmental hazards

Environmental hazards Not classified as a Marine Pollutant.

#### 14.6 Special precautions for user

Special precautions for user Not known.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No information available

### SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

United Kingdom Regulations - Authorisations and/or Restrictions On Use

UK REACH Candidate List of Substances Not listed  
of Very High Concern for Authorisation

UK REACH Authorisation List (Annex XIV) list of substances subject to  
authorisation Not listed

UK REACH Restrictions List (Annex XIV) propan-2-ol isopropyl alcohol isopropanol (67-63-0)  
Restrictions on the manufacture, placing  
on the market and use of certain  
dangerous substances, mixtures and  
articles

The Persistent Organic Pollutants Regulations 2007 (SI 2007/3106) as amended Not listed

The Ozone-Depleting Substances and Fluorinated Greenhouse Gases (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019/583) Not listed

The Prior Informed Consent (PIC) Regulations concerning the export and import of hazardous chemicals SI2008/2108 as amended Not listed

European Regulations - Authorisations and/or Restrictions On Use Community Rolling Action Plan (CoRAP) Not listed

**15.2 Chemical Safety Assessment**

United Kingdom A REACH chemical safety assessment has not been carried out.

**SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements:

**LEGEND**

Hazard Pictogram(s)



GHS02



GHS07

Hazard classification

Flam. Liq. 2 : Flammable liquid, Category 2  
Eye Irrit. 2 : Serious eye damage/irritation, Category 2  
STOT SE 3 : Specific target organ toxicity — single exposure, Category 3

Hazard Statement(s)

H225: Highly flammable liquid and vapour.  
H319: Causes serious eye irritation.  
H336: May cause drowsiness or dizziness.

Precautionary Statement(s)

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233: Keep container tightly closed.  
P240: Ground and bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting/equipment.  
P242: Use non-sparking tools.  
P243: Take action to prevent static discharges.  
P261: Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264: Wash hands and exposed skin thoroughly after handling.  
P271: Use only outdoors or in a well-ventilated area.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312: Call a POISON CENTER/doctor if you feel unwell.  
P337+P313: If eye irritation persists: Get medical advice/attention.  
P370+P378: In case of fire: Use water spray, dry powder or carbon dioxide to extinguish.  
P403+P233: Store in a well-ventilated place. Keep container tightly closed.  
P403+P235: Store in a well-ventilated place. Keep cool.  
P405: Store locked up.

Acronyms

P501: Dispose of contents in accordance with local, state or national legislation.  
ADN : European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE : Acute Toxicity Estimate  
CAS : Chemical Abstracts Service  
DNEL : Derived No Effect Level  
EC : European Community  
EINECS : European Inventory of Existing Commercial Chemical Substances  
IATA : International Air Transport Association  
IBC : Intermediate Bulk Container  
ICAO : International Civil Aviation Organization  
IMDG : International Maritime Dangerous Goods  
LTEL : Long term exposure limit  
PBT : Persistent, Bioaccumulative and Toxic  
PNEC : Predicted No Effect Concentration  
REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals  
RID : Regulations concerning the International Carriage of Dangerous Goods by Rail  
STEL : Short term exposure limit  
STOT : Specific Target Organ Toxicity  
UN : United Nations  
vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567 data used to compile the SDS

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Esprit Windscreen Repair Equipment Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Esprit Windscreen Repair Equipment Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.