

## SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

### Esprit Repair Resin (WSR Resin)

Issuing Date 05-May-2022

Revision date 26-July-2022

Revision Number 32

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

**Product Name** Esprit Repair Resin (WSR Resin)  
**UFI Code:** CR10-90MH-U00K-2JU5

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Adhesives.  
**Uses advised against** No information available.

##### 1.3. Details of the supplier of the safety data sheet

###### **Supplier**

Esprit Windscreen Equipment Ltd  
Unit 44 Winpenny Road  
Parkhouse Industrial  
Estate East Newcastle  
under Lyme  
Staffordshire ST5 7RH

##### For further information, please contact

**Tel: +44 (0)1782 565811**

**Office hours Mon - Friday 09.00am - 5.00pm**

**Email: sales@espritws.com**

##### Emergency contact

**Emergency contact** Please contact your local medical facility/hospital or poison centre.

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

**Regulation (EC) No 1272/2008**

Skin corrosion/irritation	Category 2 - (H315)
---------------------------	---------------------

# WSR Resin

Issuing Date 05-May-2022

Revision date 05-May-2022

Revision Number 32

Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitisation	Category 1B - (H317)
Specific target organ toxicity — single exposure	Category 3 - (H335)

## 2.2. Label elements



Signal word

Danger

### Hazard statements

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

H335 - May cause respiratory irritation.

Contains Benzyl Methacrylate, Isobornyl Acrylate, 2-Hydroxyethyl methacrylate, Acrylic Acid

### Precautionary Statements - EU (§28, 1272/2008)

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

## 2.3. Other hazards

Testing for acute and chronic aquatic effects determined no environmental classification is required. OECD Test No. 202: Daphnia sp., Acute Immobilisation Test.

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable.

### 3.2 Mixtures

Chemical name	CAS No	EC No	REACH registration number	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl Methacrylate	2495-37-6	219-674-4	-	25-39	Skin Sens. 1 (H317) Aquatic Acute 2 (H401)
2-Hydroxyethyl methacrylate	868-77-9	212-782-2	01-2119490169-29-0022	10-24	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317)

# WSR Resin

Issuing Date 05-May-2022

Revision date 05-May-2022

Revision Number 32

Isobornyl Acrylate	5888-33-5	227-561-6	01-2119957862-25-0011	10-24	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) STOT SE 3 (H335) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
Octyl Acrylate	2499-59-4	219-696-4	-	5-9	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335) Aquatic Chronic 2 (H411)
Decyl Acrylate	2156-96-9	218-462-9	-	5-9	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335) Aquatic Chronic 2 (H411)
Acrylic Acid	79-10-7	201-177-9	01-2119452449-31-XXXX	3-<5	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Corr. 1A (H314) Aquatic Acute 1 (H400) Flam. Liq. 3 (H226)
Silane, trimethoxy[3-(oxiranylmethoxy)propyl]-	2530-83-8	219-784-2	01-2119513212-58-XXXX	1-<3	Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)

Chemical name	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Octyl Acrylate	STOT SE 3 :: C>=10%	-	-
Decyl Acrylate	STOT SE 3 :: C>=10%	-	-
Acrylic Acid	STOT SE 3 :: C>=1%	-	-

**Full text of H- and EUH-phrases: see section 16**

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a doctor.

#### Inhalation

Remove to fresh air. Get medical attention immediately if symptoms occur. IF exposed or concerned: Get medical advice/attention.

#### Skin contact

Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor.

#### Eye contact

Get immediate medical advice/attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.

#### Self-protection of the first aider

Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

### 4.2. Most important symptoms and effects, both acute and delayed

Burning sensation. Itching. Rashes. Hives.

### 4.3. Indication of any immediate medical attention and special treatment needed

# WSR Resin

Issuing Date 05-May-2022

Revision date 05-May-2022

Revision Number 32

## Note to doctors

May cause sensitisation in susceptible persons. Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical or CO<sub>2</sub>.

#### **Unsuitable extinguishing media**

Do not scatter spilled material with high pressure water streams.

### 5.2. Special hazards arising from the substance or mixture

#### **Specific hazards arising from the chemical**

Product is or contains a sensitiser. May cause sensitisation by skin contact.

#### **Hazardous combustion products**

Carbon dioxide (CO<sub>2</sub>). Carbon monoxide. Hydrocarbons. Nitrogen oxides (NO<sub>x</sub>).

### 5.3. Advice for firefighters

#### **Special protective equipment and precautions for fire-fighters**

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### **Personal precautions**

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

#### **Other information**

Refer to protective measures listed in Sections 7 and 8.

### 6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so.

### 6.3. Methods and material for containment and cleaning up

#### **Methods for containment**

Prevent further leakage or spillage if safe to do so.

#### **Methods for cleaning up**

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.

#### **Prevention of secondary hazards**

Clean contaminated objects and areas thoroughly observing environmental regulations.

### 6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

# WSR Resin

Issuing Date 05-May-2022

Revision date 05-May-2022

Revision Number 32

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Protect from light.

#### General hygiene considerations

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Protect from light.

Storage Class: LGK10 - Combustible liquids unless storage class 3

### 7.3. Specific end use(s)

#### Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Limits

Chemical name	Austria	Belgium	Bulgaria	Croatia	Cyprus
Acrylic Acid	TWA: 10 ppm TWA: 29 mg/m <sup>3</sup> STEL 20 ppm STEL 59 mg/m <sup>3</sup>	TWA: 2 ppm TWA: 6.0 mg/m <sup>3</sup> STEL: 20 ppm STEL: 59 mg/m <sup>3</sup> *	STEL: 59 mg/m <sup>3</sup> STEL: 20 ppm TWA: 29 mg/m <sup>3</sup> TWA: 10 ppm	TWA: 10 ppm TWA: 29 mg/m <sup>3</sup> STEL: 20 ppm STEL: 59 mg/m <sup>3</sup>	STEL: 59 mg/m <sup>3</sup> STEL: 20 ppm TWA: 29 mg/m <sup>3</sup> TWA: 10 ppm
Chemical name	Czech Republic	Denmark	Estonia	European Union	Finland
Acrylic Acid	TWA: 30 mg/m <sup>3</sup> Ceiling: 60 mg/m <sup>3</sup>	TWA: 2 ppm TWA: 5.9 mg/m <sup>3</sup> H* STEL: 20 ppm 1 minute STEL: 59 mg/m <sup>3</sup> 1 minute	TWA: 10 ppm TWA: 29 mg/m <sup>3</sup> STEL: 20 ppm STEL: 59 mg/m <sup>3</sup> STEL: 15 ppm STEL: 45 mg/m <sup>3</sup>	STEL: 59 mg/m <sup>3</sup> STEL: 20 ppm TWA: 29 mg/m <sup>3</sup> TWA: 10 ppm	TWA: 2 ppm TWA: 6 mg/m <sup>3</sup> Ceiling: 15 ppm Ceiling: 45 mg/m <sup>3</sup>
Chemical name	France	Germany	Germany MAK	Greece	Hungary
2-Hydroxyethyl methacrylate	-	-	skin sensitizer	-	-
Isobornyl Acrylate	-	-	skin sensitizer	-	-
Acrylic Acid	TWA: 2 ppm TWA: 6 mg/m <sup>3</sup> STEL: 10 ppm STEL: 30 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 30 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 30 mg/m <sup>3</sup> Peak: 10 ppm Peak: 30 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 29 mg/m <sup>3</sup> STEL: 20 ppm STEL: 59 mg/m <sup>3</sup>	TWA: 29 mg/m <sup>3</sup> STEL: 59 mg/m <sup>3</sup>
Chemical name	Ireland	Italy	Italy REL	Latvia	Lithuania
2-Hydroxyethyl methacrylate	-	-	-	-	Sensitizer TWA: 20 mg/m <sup>3</sup>
Acrylic Acid	TWA: 10 ppm TWA: 29 mg/m <sup>3</sup> STEL: 20 ppm STEL: 59 mg/m <sup>3</sup>	TWA: 29 ppm TWA: 10 mg/m <sup>3</sup> STEL: 59 ppm STEL: 20 mg/m <sup>3</sup> pelle*	TWA: 2 ppm TWA: 6 mg/m <sup>3</sup> *	TWA: 5 mg/m <sup>3</sup> TWA: 1.7 ppm STEL: 59 mg/m <sup>3</sup> STEL: 20 ppm	TWA: 10 ppm TWA: 29 mg/m <sup>3</sup> Ceiling: 59 mg/m <sup>3</sup> Ceiling: 20 ppm
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland

# WSR Resin

Issuing Date 05-May-2022

Revision date 05-May-2022

Revision Number 32

2-Hydroxyethyl methacrylate	-	-	-	TWA: 2 ppm TWA: 11 mg/m <sup>3</sup> STEL: 4 ppm STEL: 16.5 mg/m <sup>3</sup>	-
Acrylic Acid	STEL: 59 mg/m <sup>3</sup> STEL: 20 ppm TWA: 29 mg/m <sup>3</sup> TWA: 10 ppm	STEL: 20 ppm STEL: 59 mg/m <sup>3</sup> TWA: 10 ppm TWA: 29 mg/m <sup>3</sup>	TWA: 29 mg/m <sup>3</sup> STEL: 59 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 29 mg/m <sup>3</sup> STEL: 20 ppm STEL: 59 mg/m <sup>3</sup>	STEL: 29.5 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup> *
<b>Chemical name</b>	<b>Portugal</b>	<b>Romania</b>	<b>Slovakia</b>	<b>Slovenia</b>	<b>Spain</b>
Acrylic Acid	TWA: 10 ppm TWA: 29 mg/m <sup>3</sup> STEL: 59 mg/m <sup>3</sup> STEL: 20 ppm P*	TWA: 10 ppm TWA: 29 mg/m <sup>3</sup> STEL: 20 ppm STEL: 59 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 29 mg/m <sup>3</sup> Ceiling: 59 mg/m <sup>3</sup>	TWA: 29 mg/m <sup>3</sup> TWA: 10 ppm STEL: 20 ppm STEL: 59 mg/m <sup>3</sup> *	TWA: 10 ppm TWA: 29 mg/m <sup>3</sup> STEL: 20 ppm STEL: 59 mg/m <sup>3</sup> vía dérmica*
<b>Chemical name</b>	<b>Sweden</b>	<b>Switzerland</b>	<b>United Kingdom</b>	<b>Russia</b>	<b>Hazard class</b>
2-Hydroxyethyl methacrylate	-	-	-	MAC: 20 mg/m <sup>3</sup>	4
Acrylic Acid	NGV: 10 ppm NGV: 29 mg/m <sup>3</sup> Bindande KGV: 20 ppm Bindande KGV: 59 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 29 mg/m <sup>3</sup> STEL: 20 ppm STEL: 59 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 29 mg/m <sup>3</sup> STEL: 20 ppm STEL: 59 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> MAC: 15 mg/m <sup>3</sup>	3

## Biological occupational exposure limits

Chemical name	Hungary	Ireland	Italy	Italy REL	Latvia
Acrylic Acid	-	-	-	TWA: 2 ppm TWA: 6 mg/m <sup>3</sup> *	-

## Derived No Effect Level (DNEL)

No information available.

## Predicted No Effect Concentration (PNEC)

No information available.

## 8.2. Exposure controls

### Engineering controls

Ensure adequate ventilation, especially in confined areas.

### General hygiene considerations

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

### Personal protective equipment

#### Hand protection

Wear suitable gloves. Nitrile rubber, Butyl rubber. Gloves must conform to standard EN 374.

Duration of contact	PPE - Glove material	Glove thickness [mm]	Break through time [minutes]
Short term	Wear protective nitrile rubber gloves	> 0.1	10 - 20
Long term (repeated)	Wear protective butyl rubber gloves	0.5	> 480

#### Eye/face protection

Eye protection must conform to standard EN 166. Tight sealing safety goggles.

#### Skin and body protection

Wear suitable protective clothing. Long sleeved clothing.

# WSR Resin

Issuing Date 05-May-2022

Revision date 05-May-2022

Revision Number 32

## Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Recommended filter type: brown. Organic gases and vapours filter conforming to EN 14387.

## Environmental exposure controls

Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid  
 Appearance: transparent  
 Colour: colourless  
 Odour: Characteristic

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH:	No data available	No information available
pH (as aqueous solution):	No data available	Not applicable
Melting point / freezing point:	No data available	No information available
Boiling point / boiling range:	No data available	No information available
Flash point:	101 °C / 213.8 °F	Pensky-Martens Closed Cup (PMCC)
Evaporation rate:	No data available	No information available
Flammability (solid, gas):	No data available	Not applicable
Flammability Limit in Air		
Upper flammability or explosive limits:	No data available	No information available
Lower flammability or explosive limits:	No data available	No information available
Vapour pressure:	No data available	No information available
Relative vapour density:	No data available	No information available
Relative density:	No data available	No information available
Water solubility:	Insoluble	No information available
Solubility(ies):	No data available	No information available
Partition coefficient:	No data available	No information available
Autoignition temperature:	438 °C / 820.4 °F	No information available
Decomposition temperature:	No data available	No information available
Kinematic viscosity:	No data available	No information available
Dynamic viscosity:	17 cP	
Explosive properties:	No information available	
Oxidising properties:	No information available	

### 9.2. Other information

Softening point: No information available  
 VOC Content (%): No information available  
 Liquid Density: No information available  
 Bulk density: No information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No information available.

# WSR Resin

Issuing Date 05-May-2022

Revision date 05-May-2022

Revision Number 32

## 10.2. Chemical stability

### Stability

Stable under normal conditions.

### Explosion data

Sensitivity to mechanical impact: None.

Sensitivity to static discharge: None.

## 10.3. Possibility of hazardous reactions

### Possibility of hazardous reactions

None under normal processing.

### Hazardous polymerisation

None under normal processing.

## 10.4. Conditions to avoid

Protect from light. Heat, flames and sparks.

## 10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidising agents.

## 10.6. Hazardous decomposition products

None under normal use conditions.

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

#### Information on likely routes of exposure

#### Product Information

##### Inhalation:

Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.

##### Eye contact:

Specific test data for the substance or mixture is not available. Causes serious eye damage. May cause irreversible damage to eyes.

##### Skin contact:

Specific test data for the substance or mixture is not available. May cause sensitisation by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes skin irritation.

##### Ingestion:

Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

#### Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral): 4,051.40 mg/kg

ATEmix (dermal): 7,143.70 mg/kg

ATEmix (inhalation-dust/mist): 62.20 mg/l

#### Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

#### Component Information:

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Benzyl Methacrylate	-	> 2000 mg/kg ( Rat )	-



# WSR Resin

Issuing Date 05-May-2022

Revision date 05-May-2022

Revision Number 32

2-Hydroxyethyl methacrylate	= 5050 mg/kg ( Rat )	> 3000 mg/kg ( Rabbit )	-
Isobornyl Acrylate	= 4890 mg/kg ( Rat )	> 3000 mg/kg ( Rabbit )	-
Decyl Acrylate	= 6460 mg/kg ( Rat )	-	-
Acrylic Acid	= 193 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	= 11.1 mg/L ( Rat ) 1 h = 3.6 mg/L ( Rat ) 4 h
Silane, trimethoxy[3-(oxiranylmethoxy)propyl]-	= 7.01 g/kg ( Rat )	= 3.97 mL/kg ( Rabbit )	> 5.3 mg/L ( Rat ) 4 h

## Symptoms related to the physical, chemical and toxicological characteristics

Redness. Burning. May cause blindness. Itching. Rashes. Hives. May cause redness and tearing of the eyes.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

### **Skin corrosion/irritation**

Classification based on data available for ingredients. Irritating to skin.

### **Serious eye damage/eye irritation**

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

### **Respiratory or skin sensitisation**

May cause sensitisation by skin contact.

### **Germ cell mutagenicity**

Not classified. Based on available data, the classification criteria are not met.

### **Carcinogenicity**

Based on available data, the classification criteria are not met.

### **Reproductive toxicity**

Not classified. Based on available data, the classification criteria are not met.

### **STOT - single exposure**

May cause respiratory irritation.

### **STOT - repeated exposure**

Not classified. Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Not classified. Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

#### **Ecotoxicity**

#### **Product Information**

Testing for acute and chronic aquatic effects determined no environmental classification is required. OECD Test No. 202: Daphnia sp., Acute Immobilisation Test.

# WSR Resin

Issuing Date 05-May-2022

Revision date 05-May-2022

Revision Number 32

Chemical name	Fish	Crustacea	Algae/aquatic plants
Benzyl Methacrylate	LC50: 4.25 - 5.13mg/L (96h, Pimephales promelas)	-	-
2-Hydroxyethyl methacrylate	LC50: 213 - 242mg/L (96h, Pimephales promelas) LC50: =227mg/L (96h, Pimephales promelas)	EC50 > 380 mg/l 48 h (Daphnia magna)	-
Isobornyl Acrylate	LC50: =0.704mg/L 96h (Danio rerio)	EC 50 = 1.1 mg/L 48 h (Daphnia magna)	ErC 50 = 2.7 mg/L 96h (Pseudokirchneriella subcapitata)
Acrylic Acid	LC50: =222mg/L (96h, Brachydanio rerio) NOEC: >= 10.1mg/L (45d, Oryzias latipes, OECD 210)	EC50: =95mg/L (48h, Daphnia magna) NOEC: =3.8mg/L (21d, Daphnia magna)	EC50: =0.04mg/L (72h, Desmodesmus subspicatus) EC50: =0.17mg/L (96h, Pseudokirchneriella subcapitata)
Silane, trimethoxy[3-(oxiranylmethoxy)propyl]-	LC50: =55mg/L (96h, Cyprinus carpio)	-	-

## 12.2. Persistence and degradability

No information available.

## 12.3. Bioaccumulative potential

There is no data for this product.

## Component Information

Chemical name	Partition coefficient
Benzyl Methacrylate	3.1
2-Hydroxyethyl methacrylate	0.42
Isobornyl Acrylate	4.52
Acrylic Acid	0.46

## 12.4. Mobility in soil

No information available.

## 12.5. Results of PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Benzyl Methacrylate	The substance is not PBT / vPvB
2-Hydroxyethyl methacrylate	The substance is not PBT / vPvB
Isobornyl Acrylate	The substance is not PBT / vPvB
Acrylic Acid	The substance is not PBT / vPvB PBT assessment does not apply
Silane, trimethoxy[3-(oxiranylmethoxy)propyl]-	The substance is not PBT / vPvB

## 12.6. Other adverse effects

### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

### Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

# WSR Resin

Issuing Date 05-May-2022

Revision date 05-May-2022

Revision Number 32

## Waste codes / waste designations according to EWC / AVV

Waste codes should be assigned by the user based on the application for which the product was used.

## Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Dispose of contents/containers in accordance with local regulations.

## SECTION 14: Transport information

### IMDG

- 14.1 UN number or ID number: Not regulated  
14.2 UN proper shipping name: Not regulated  
14.3 Transport hazard class(es): Not regulated  
14.4 Packing group: Not regulated  
14.5 Marine pollutant: Not applicable  
14.6 Special precautions for user:  
Special Provisions: None  
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code:  
No information available

### IATA

- 14.1 UN number or ID number: Not regulated  
14.2 UN proper shipping name: Not regulated  
14.3 Transport hazard class(es): Not regulated  
14.4 Packing group: Not regulated  
14.5 Environmental hazards: Not applicable  
14.6 Special precautions for user:  
Special Provisions: None

### ADR

- 14.1 UN number or ID number: Not regulated  
14.2 UN proper shipping name: Not regulated  
14.3 Transport hazard class(es): Not regulated  
14.4 Packing group: Not regulated  
14.5 Environmental hazards: Not applicable  
14.6 Special precautions for user:  
Special Provisions: None

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

France:

Occupational Illnesses (R-463-3, France):

Chemical name	French RG number	Title
2-Hydroxyethyl methacrylate	RG 65	-

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at

## WSR Resin

Issuing Date 05-May-2022

Revision date 05-May-2022

Revision Number 32

work.

**Authorisations and/or restrictions on use:**

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
2-Hydroxyethyl methacrylate	75.	-
Acrylic Acid	75.	-

**Persistent Organic Pollutants:**

Not applicable.

**Dangerous substance category per Seveso Directive (2012/18/EU):**

Non-controlled.

**Ozone-depleting substances (ODS) regulation (EC) 1005/2009:**

Not applicable.

**International Inventories**

AIIC	Not Listed
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Simplified Notification
KECL	Complies
PICCS	Not Listed
NZIoC	Not Listed
TCSI	Not Listed
TSCA	Complies

**Legend:**

- AIICS** - Australian Industrial Chemicals Introduction Scheme  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**NZIoC** - New Zealand Inventory of Chemicals  
**TCSI** - Taiwan Chemical Substance Inventory  
**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**15.2. Chemical safety assessment**

No information available.

**SECTION 16: Other information****Key or legend to abbreviations and acronyms used in the safety data sheet**

SVHC: Substances of Very High Concern for Authorisation:  
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals  
vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

**Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

# WSR Resin

Issuing Date 05-May-2022

Revision date 05-May-2022

Revision Number 32

TWA (time-weighted average)	STEL (Short Term Exposure Limit)
Ceiling: Maximum limit value	*: Skin designation

### **Full text of H-Statements referred to under section 3**

H226 - Flammable liquid and vapour.  
H302 - Harmful if swallowed.  
H312 - Harmful in contact with skin.  
H314 - Causes severe skin burns and eye damage.  
H315 - Causes skin irritation.  
H317 - May cause an allergic skin reaction.  
H318 - Causes serious eye damage.  
H319 - Causes serious eye irritation.  
H332 - Harmful if inhaled.  
H335 - May cause respiratory irritation.  
H400 - Very toxic to aquatic life.  
H401 - Toxic to aquatic life.  
H410 - Very toxic to aquatic life with long lasting effects.  
H411 - Toxic to aquatic life with long lasting effects.  
H412 - Harmful to aquatic life with long lasting effects.

<b>Classification procedure</b>	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	On basis of test data
Chronic aquatic toxicity	On basis of test data
Aspiration hazard	Calculation method
Ozone	Calculation method

### **Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AEGL(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
Japan GHS Classification  
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)

# WSR Resin

Issuing Date 05-May-2022

Revision date 05-May-2022

Revision Number 32

---

National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme  
Organisation for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

Revision date 05-May-2022

**This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006**

## Disclaimer

**This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of Esprit Windscreen Repair Equipment Limited. The information in this MSDS relates only to the specific material designated herein. Esprit Windscreen Repair Equipment Limited assumes no legal responsibility for use of or reliance upon the information in this MSDS.**

**End of Safety Data Sheet**